

Table 3E: Bainsville, Ottawa, Winchester

2025 Ontario Hybrid Corn Performance Trials - Conducted by the Ontario Corn Committee

³Note: Revised data for Ottawa; Table 3E averages are revised 2025-12-8

CHU	Brand and/or Hybrid		GM Trait	Seed Trt	2024-2025 averages ¹				2025 averages ²				Results of 2025 Performance Trials								
					average of 6 trials				average of 3 trials				BAINSVILLE			OTTAWA ³			WINCHESTER		
					Yield Index	Moist %	Ldg %	Test Wt Index	Yield Index	Moist %	Ldg %	Test Wt Index	Yield Index	Moist %	Ldg %	Yield Index	Moist %	Ldg %	Yield Index	Moist %	Ldg %
2550	Thunder Seed	TH6185 VT2P	6	F					96	20.3		103	95	22.3	7	102	23.4	0	90	15.2	
2600	Pioneer	P87040PCE	30	L	92	18.1		103	89	19.4		103	84	23.0	26	91	19.4	0	90	15.7	
2650	Pioneer	P9026AM	23	L	94	18.2		104	93	19.7		104	96	23.0	3	97	20.2	0	88	15.9	
2650	Pioneer	P91083PCE	30	L					99	20.8		100	103	22.8	0	93	22.8	0	100	16.9	
2650	Pioneer	P91083V	40	L					104	21.7		100	103	23.5	7	109	24.0	0	101	17.7	
2650	PRIDE Seeds	A5580G4	32	P					89	18.8		106	73	21.6	50	97	20.0	0	96	14.8	
2675	Saatbau	Alpedro	0	C					100	21.5		100	95	25.2	27	99	21.6	0	105	17.8	
2700	CROPLAN	CP2925TRE	32	F					92	20.5		102	87	23.1	0	93	22.7	0	96	15.7	
2700	Maizex	MZ 3006DBR	6	F					97	19.8		103	101	22.7	5	86	19.7	0	102	16.9	
2725	Maizex	MZ 3117DBR	6	F	96	18.8		101	100	20.7		100	108	24.3	0	94	21.4	0	99	16.3	
2750	LIDS	LID0003	0	A					97	20.2		102	84	21.7	23	107	23.5	0	99	15.5	
2750	Maizex	MZ 314	0	F					102	21.2		101	91	24.6	34	109	21.7	0	106	17.3	
2750	NK Brand	NK9175-DV	34	F	96	20.7		100	98	22.6		100	99	25.6	0	95	22.9	0	100	19.4	
2750	Pioneer	P9316Q	36	L	98	19.0		103	99	20.4		103	94	23.1	28	97	20.6	0	106	17.4	
2750	Thunder Seed	TH6490 VT2P	6	F					99	19.5		101	104	22.9	4	89	19.2	0	104	16.3	
2775	CROPLAN	CP3143VT2P	6	F	102	19.1		101	103	21.1		101	108	23.8	1	104	22.5	0	97	16.9	
2775	Maizex	MZ 3314SMX	8	F	96	19.1		102	94	20.6		102	91	24.2	0	96	20.8	0	97	16.9	
2775	NK Brand	NK9231-AA	28	F					98	22.6		97	100	23.9	9	104	24.7	0	90	19.2	
2775	Thunder Seed	TH6591 PC	30	F					102	20.8		102	104	23.3	24	97	21.3	0	104	17.7	
2800	CROPLAN	CP3330VT2P	6	F	101	20.0		100	103	22.2		100	100	25.3	0	102	21.8	0	107	19.4	
2800	CROPLAN	CP3341SS	8	F	96	18.7		100	100	20.4		100	98	23.7	0	102	20.7	0	100	16.8	
2800	CROPLAN	CP3540VT4	39	F					101	20.2		103	107	22.8	1	92	20.0	0	103	17.9	
2800	Maizex	MZ 3432TRE	32	F	101	20.0		99	99	22.2		98	88	25.5	1	104	22.6	0	105	18.4	
2800	NK Brand	NK9400-V	27	F	95	19.7		100	96	20.5		101	93	22.9	23	92	20.3	0	104	18.4	
2800	Pioneer	P9466AML	37	L	100	19.5		101	105	21.1		100	109	24.5	1	101	20.7	0	103	18.0	
2800	PRIDE Seeds	A6226G2	6	P					107	20.4		103	109	22.7	0	102	21.7	0	109	16.7	
2800	Saatbau	SL23014	0	C					106	23.8		95	111	26.7	23	104	22.3	0	102	22.4	
2800	Saatbau	SL23414	0	C					106	22.7		98	109	25.6	32	99	23.2	0	108	19.2	
2800	Saatbau	SL42099	0	C					104	22.2		100	105	25.6	4	98	20.4	0	109	20.6	
2825	De Dell	DL 3751	0	F					97	22.8		102	98	26.3	17	102	23.0	0	93	19.1	

Table 3E: Bainsville, Ottawa, Winchester

2025 Ontario Hybrid Corn Performance Trials - Conducted by the Ontario Corn Committee

³Note: Revised data for Ottawa; Table 3E averages are revised 2025-12-8

CHU	Brand and/or Hybrid		GM Trait	Seed Trt	2024-2025 averages ¹				2025 averages ²				Results of 2025 Performance Trials								
					average of 6 trials				average of 3 trials				BAINSVILLE			OTTAWA ³			WINCHESTER		
					Yield Index	Moist %	Ldg %	Test Wt Index	Yield Index	Moist %	Ldg %	Test Wt Index	Yield Index	Moist %	Ldg %	Yield Index	Moist %	Ldg %	Yield Index	Moist %	Ldg %
2825	Horizon	HZ 3480	34	F					99	21.1		100	91	23.9	3	111	21.7	0	98	17.6	
2825	Thunder Seed	TH6993 VT2P	6	F					104	21.1		101	102	24.4	0	105	21.9	0	104	17.0	
2850	CROPLAN	CP3490VT2P	6	F					108	21.6		99	108	24.9	4	114	21.6	0	102	18.4	
2850	De Dell	DL 3905	0	F	101	19.4		101	103	21.4		100	100	23.8	11	109	21.8	0	100	18.5	
2850	DEKALB	DKC094-94RIB	39	AD	107	20.4		98	108	22.8		98	105	25.6	3	109	23.4	0	110	19.3	
2850	Horizon	HZ 3511	0	F	96	20.4		101	98	21.6		102	100	24.1	6	98	23.1	0	95	17.7	
2850	Horizon	HZ 3584	34	F	91	20.9		99	87	22.6		99	87	25.0	1	83	23.8	0	91	18.9	
2850	LIDS	LID0004	0	A					104	19.9		104	107	23.6	17	99	19.8	0	106	16.3	
2850	Maizex	MZ 3505DBR	6	F	99	19.6		101	96	21.3		101	94	25.1	1	94	21.3	0	100	17.6	
2850	NK Brand	NK9535-V	27	F	97	20.2		101	99	21.5		102	105	23.6	4	97	21.3	0	94	19.6	
2850	Pioneer	P96567Q	36	L					101	22.8		100	102	25.3	3	99	22.7	0	101	20.4	
2850	PRIDE Seeds	A6566G8 RIB	8	F	100	18.9		103	101	20.6		102	94	23.6	1	103	21.0	0	105	17.3	
2850	PRIDE Seeds	A6572G2 RIB	6	F	93	19.4		101	97	21.3		101	95	25.1	3	96	21.3	0	99	17.6	
2875	DEKALB	DKC094-17RIB	6	A					103	22.0		100	111	25.1	6	99	22.4	0	100	18.4	
2875	DEKALB	DKC45-74RIB	8	AD	98	20.1		100	91	21.9		98	92	26.0	3	87	21.6	0	95	18.1	
2875	DLF	DLF 2891GSX RIB	8	AD	101	20.6		99	98	22.6		99	98	25.8	3	94	23.8	0	102	18.1	
2875	Horizon	HZ 3690	30	F	101	20.7		99	106	23.0		99	119	25.2	6	104	22.7	0	95	21.0	
2875	PRIDE Seeds	A6580G4 RIB	32	F	100	19.7		102	96	21.4		102	92	24.5	6	98	21.5	0	99	18.3	
2900	CROPLAN	CP3790VT2P	6	F	107	21.0		99	105	23.6		98	98	27.5	8	110	23.8	0	107	19.4	
2900	DEKALB	DKC096-21RIB	32	AD	106	20.3		100	110	21.9		101	102	24.3	4	121	22.1	0	109	19.3	
2900	Maizex	MZ 3704VT4	6	F					100	22.7		99	103	24.7	0	98	22.8	0	99	20.5	
2900	Maizex	MZ 3717SSP	38	F	101	19.6		101	101	21.1		101	102	24.9	0	100	21.3	0	101	17.0	
2900	PRIDE Seeds	A6694G2 RIB	6	F	98	19.9		101	95	21.7		100	107	24.9	6	82	21.3	0	96	19.0	
2925	Horizon	HZ 3883	0	F					86	24.2		100	81	25.9	30	90	23.6	0	86	23.1	
2925	Pioneer	P9823Q	36	L					109	22.3		99	114	25.2	14	108	22.6	0	104	19.2	
2925	Thunder Seed	TH6697 TRE	32	F					98	21.8		101	95	25.8	3	94	21.3	0	103	18.3	
2950	CROPLAN	CP3980VT2P	6	F					104	22.1		98	101	24.9	1	106	22.5	0	106	18.8	
2950	DEKALB	DKC48-08RIB	8	AD	102	21.2		99	102	23.1		99	111	25.8	1	104	23.6	0	92	20.0	

Table 3E: Bainsville, Ottawa, Winchester

2025 Ontario Hybrid Corn Performance Trials - Conducted by the Ontario Corn Committee

³Note: Revised data for Ottawa; Table 3E averages are revised 2025-12-8

CHU	Brand and/or Hybrid		GM Trait	Seed Trt	2024-2025 averages ¹				2025 averages ²				Results of 2025 Performance Trials								
					average of 6 trials				average of 3 trials				BAINSVILLE			OTTAWA ³			WINCHESTER		
					Yield Index	Moist %	Ldg %	Test Wt Index	Yield Index	Moist %	Ldg %	Test Wt Index	Yield Index	Moist %	Ldg %	Yield Index	Moist %	Ldg %	Yield Index	Moist %	Ldg %
2950	DLF	DLF 2926VT4P RIB	38	AD	101	21.3		97	100	23.7		96	101	26.8	3	94	24.0	0	103	20.2	
2950	Maizex	MZ 3930DBR	6	F	103	20.8		99	102	22.6		98	107	25.4	0	97	22.9	0	100	19.4	
2950	Maizex	MZ 397	0	F	101	20.4		100	100	22.8		100	99	25.4	0	96	23.1	0	104	19.8	
2950	Maizex	MZ 4026SSP	38	F					101	22.9		100	97	26.1	0	108	23.4	0	99	19.1	
2950	NK Brand	NK9805-DV	34	F					95	22.6		100	94	25.6	24	100	21.9	0	91	20.4	
2950	Pioneer	P9845PCE	30	L	103	21.6		97	100	23.8		95	116	25.2	3	94	24.0	0	90	22.1	
2975	De Dell	DL 4910	0	-					92	21.9		101	94	24.4	10	97	21.8	0	85	19.4	
2975	DLF	DLF 2991VT2P RIB	6	AD	101	20.7		98	100	22.9		97	98	24.9	0	101	23.1	0	102	20.6	
2975	Maizex	MZ 4049SMX	8	F	100	21.0		100	98	23.0		99	106	25.3	0	93	23.1	0	96	20.6	
2975	NK Brand	NK9908-AA	28	F					102	22.7		99	91	25.3	10	119	21.5	0	99	21.3	
2975	Pioneer	P0035Q	36	L	102	21.5		99	101	24.0		98	112	26.4	20	100	23.6	0	91	22.1	
2975	PRIDE Seeds	A6975G2	6	F	109	21.5		100	110	23.2		100	109	26.0	1	121	22.9	0	102	20.7	
3000	De Dell	DL 5021	0	F	93	22.0		100	90	24.3		100	82	26.4	23	98	24.4	0	92	22.2	
3000	DLF	DLF 3039TRE RIB	32	AD	105	21.8		99	105	24.0		99	104	25.8	1	103	24.2	0	108	22.1	
3000	Pioneer	P0075Q	36	L	105	22.4		97	103	25.1		96	105	27.1	6	98	24.4	0	106	23.8	
3025	DEKALB	DKC100-01RIB	39	A	106	20.1		99	108	22.0		98	109	26.0	0	103	21.6	0	111	18.3	
3050	DEKALB	DKC099-59RIB	38	A					106	24.0		96	110	27.5	1	101	21.9	0	107	22.7	
3075	DEKALB	DKC101-33RIB	38	A	107	22.9		94	104	26.1		92	105	29.1	1	105	25.4	0	102	23.7	
LSD (0.10) for Yield Index Points*					4				8				15			17			9		
Average all hybrids **					205	20.3		70	169	21.9		69	170	24.8	8	159	22.2	0	178	18.8	

¹ Bainsville 2024-2025, Ottawa 2024-2025, Winchester 2024-2025² Bainsville, Ottawa, Winchester³Note: Revised data for Ottawa 2025-12-8

* The LSD is a measure of variability within the trial. Yield indices that differ by an amount less than or equal to the LSD should be considered to be equal.

** Average Yields are shown in bushels per acre. Average Test Weights are shown in kg/hl.

Hybrid selection should be based on the most data available. Emphasis should be put on averages from several locations and years because these provide a more accurate prediction of future performance than do single location results.

Note: The accuracy of moisture measurement decreases as moisture content increases. This also affects the accuracy of yield determination.

Results for hybrids with moisture contents over 30% should be interpreted with much caution.